ALCT Header

















Tue May 25 11:56:52 2004

ALCT Header


#Time Bins
Chamber 1
Entries 2990
Mean 7.995
RMS 0.1992
Underflow 421
Overflow 0
#Time Bins
Chamber 2
Entries 2990
Mean 8.702
RMS 3.49
Underflow 861
Overflow 0
L1A
Chamber 1
Entries 2990
Mean 0.9992
RMS 0.02789
Underflow 421
Overflow 0
L1A
Chamber 2
Entries 2990
Mean 0.9521
RMS 0.2136
Underflow 861
Overflow 0
Ext
Chamber 1
Entries 2990
Mean 0.0007785
RMS 0.02789
Underflow 421
Overflow 0
Ext
Chamber 2
Entries 2990
Mean 0.05167
RMS 0.2214
Underflow 861
Overflow 0
1st
Chamber 1
Entries 2990
Mean 0.0003893
RMS 0.01973
Underflow 421
Overflow 0
1st
Chamber 2
Entries 2990
Mean 0.008455
RMS 0.09156
Underflow 861
Overflow 0

ALCT Header

















Tue May 25 11:56:52 2004

TMB Header


FIFO Mode
Chamber 1
Entries 2990
Mean 1
RMS -0
Underflow 499
Overflow 0


FIFO Mode
Chamber 2
Entries 2990
Mean 1
RMS -0
Underflow 898
Overflow 0


CFEBs in Readout
Chamber 1
Entries 2990
Mean 31
RMS -0
Underflow 499
Overflow 0


CFEBs in Readout
Chamber 2
Entries 2990
Mean 31
RMS -0
Underflow 898
Overflow 0


Tbins per CFEB
Chamber 1
Entries 2990
Mean 7
RMS -0
Underflow 499
Overflow 0


Tbins per CFEB
Chamber 2
Entries 2990
Mean 7
RMS -0
Underflow 898
Overflow 0


Board ID
Chamber 1
Entries 2990
Mean 6
RMS -0
Underflow 499
Overflow 0


Board ID
Chamber 2
Entries 2990
Mean 16
RMS -0
Underflow 898
Overflow 0

TMB Header


CSC ID
Chamber 1
Entries 2990
Mean 3
RMS -0
Underflow 499
Overflow 0


CSC ID
Chamber 2
Entries 2990
Mean 8
RMS -0
Underflow 898
Overflow 0


L1A Rx Counter
Chamber 1
Entries 2990
Mean 7.47
RMS 4.617
Underflow 499
Overflow 0


L1A Rx Counter
Chamber 2
Entries 2990
Mean 7.54
RMS 4.635
Underflow 898
Overflow 0


BXN Counter at L1A arrival
Chamber 1
Entries 2990
Mean 459.3
RMS 252
Underflow 499
Overflow 0


BXN Counter at L1A arrival
Chamber 2
Entries 2990
Mean 460.8
RMS 235.4
Underflow 898
Overflow 0


#Tbins before pre-trig
Chamber 1
Entries 2990
Mean 2
RMS -0
Underflow 499
Overflow 0


#Tbins before pre-trig
Chamber 2
Entries 2990
Mean 2
RMS -0
Underflow 898
Overflow 0

TMB Header

















Tue May 25 11:56:52 2004

TMB Header

















Tue May 25 11:56:52 2004

TMB Header



Tue May 25 11:56:53 2004

BXN Counter at Pre-trigger



Tue May 25 11:56:53 2004

MPC Accept Bits



Tue May 25 11:56:53 2004